



FULL STRAP
ADVANCED STRAPPING SYSTEMS

TRANSPAK
TRANSPAK EQUIPMENT CORP.

STRAPPING TOOLS

FOR PLASTIC & STEEL STRAPPING

From basic tensioner and sealer up to high-tech battery powered strapping tool, Transpak offers you the most comprehensive product line of strapping tools. All of our strapping tools are made in Taiwan in our ISO 9001 certified factory, with PRIDE!

In this category, we have product lines for different strapping materials as follows:

- Strapping Tools for PET and Heavy Duty PP Strapping
- Strapping Tools for PP Strapping
- Strapping Tools for Cord Strapping
- Strapping Tools for Steel Strapping
- Strap Dispensers for Plastic and Steel Strapping



TRANSPAK

Strapping Tools for PET and Heavy Duty PP Strapping

Strapping Tools for PP Strapping

H-23 Tensioner

- Strap width: 12 mm-19 mm



H-21 Tensioner

- Strap width: 12 mm-19 mm



H-24 Tensioner

- Strap width: 12 mm-19 mm
- Heavy duty



H-34 Sealer

- Triple friction grip
- Handle length 460 mm
- Strap width: 12 mm, 16 mm, 19 mm



H-36 Sealer

- Offset grip
- For use with serrated seals
- Handle length 460 mm
- Strap width: 12 mm, 16 mm



H-35 Sealer

- Triple friction grip
- Handle length 390 mm
- Strap width: 12 mm, 16 mm



H-44 Hercules Combination Tool

- Designed for heavy duty applications
- Max. tension force **300 kg**
- For use with serrated seals
- Optional handle for horizontal applications
- Strap width: 12 mm, 16 mm



H-42 Combination Tool

- Using cogwheel to drive windlass guarantees high tension and save effort
- Strap width: 12 mm, 16 mm



Battery Powered Strapping Tools for PET and PP Strapping

SEE DETAILS IN H-46 CATALOGUE

H-46 Kronos Power Tool

- Bosch battery and charger
- Friction weld sealing
- Digital touch panel
- Max. tension force:
 - H-46A: 250 kg
 - H-46B: 400 kg
- Strap width:
 - H-46A: 12 mm, 16 mm,
 - H-46B: 16 mm, 19 mm



H-45L-1 Helios Power Tool

- Bosch battery and charger
- Friction weld sealing
- Max. tension force **250 kg**
- Strap width: 9 mm, 12 mm, 16 mm



Strapping Tools for Cord Strapping

H-22 Tensioner

- Strap width: 9 mm-19 mm



H-25 Tensioner

- Medium duty range
- Strap width: 9 mm-25 mm



H-26 Tensioner

- Heavy duty range
- Machining made of alloy steel
- Strap width: 25 mm-40 mm



H-27 Tensioner

- Heavy duty range
- Machining made of alloy steel
- Strap width: 25 mm-50 mm



Strapping Tools for Steel Strapping

H-16 Cutter

- "SAE 4140" high carbon steel drop forged
- Strap width: up to 30 mm



H-17 Cutter

- Heavy duty
- "SAE 4140" high carbon steel drop forged
- Strap width: up to 50 mm



H-54 Tensioner

- Strap width: 9 mm-19 mm



H-55 Tensioner

- Heavy duty range
- Strap width: 9 mm-19 mm



H-65 Sealer

- Strap width: 9 mm, 12 mm, 16 mm, 19 mm



Strap Dispensers for Plastic and Steel Strapping

H-84 Strap Dispenser

- For PP, PET and oscillated wound steel strapping
- Robust design for heavy duty use
- Strap core I.D. 406 mm
- Face 75 mm or 150 mm
- Net weight: 30 kg



H-91 Strap Dispenser

- For cord strapping
- Strap core I.D. 76 mm
- Net weight: 2.5 kg



H-84E Strap Dispenser

- For PP strapping
- Strap core I.D.: 392 mm
- Net weight: 10.5 Kg



H-83 Strap Dispenser

- For PP strapping
- Strap core I.D. 200 mm, 280 mm
- Net weight: 11 kg



H-84M Strap Dispenser

- For PP and PET strapping
- Strap core I.D.: 392 mm, 406 mm
- Net weight: 18 Kg



H-83E Strap Dispenser

- For PP strapping
- Strap core I.D. 200 mm, 280 mm
- Economy model
- Net weight: 8 kg



H-95 Strap Dispenser

- For ribbon wound steel strapping
- Max. O.D. 615 mm
- Strap width:
 - H-95A for 9 mm-22 mm
 - H-95B for 23 mm-32 mm



FULL STRAP
ADVANCED STRAPPING SYSTEMS

FULL STRAP SRL

VIA DELLE INDUSTRIE 11 - 13856 VIGLIANO BIELLESE (BI) - ITALY

TEL. +39 015 3353310 - E-MAIL FULLSTRAP@FULLSTRAP.COM

WWW.FULLSTRAP.COM